




Wrench



Machined through round hole, holding angle of bolt/nut heads to fasten without deforming bolt/nut heads.

Jetech wrenches, precisely machined, made of chrome vanadium alloy steel, with well surface polished, assure that the dimensions of both open and ring end, meeting the standards of ANSI, DIN and GB.




Angle at 15 degree, convenient to use in narrow space.



Anti-skidding part on handle

Open end and torsion diagram




● Torsion correspondingly increase in parallel according to sizes of open end wrenches and comply to the following standard.

ISO 1711-1 NF ISO 1711-1 DIN 899



■ Laser printed scale at the mouth of adjustable wrench, enable users to measure bolt/nut size

■ Elastic plastic soft handle Comfortably strong grip




- Matt finish surface
- Thinner design, angle at 30 degree, convenient to use in narrow space
- Anti-skidding part on wrench body

Adjustable Wrench

Adjustable Wrench


○Standard: GB/T 4440-2008
○Refer to: ISO/CD 6787:1996



Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm	Price (VND)
AW-4	6.5	9.2	13.5	14.0	100	120(10x12box)	7.50	264x226x154	54.000
AW-6	8.3	12.0	20.0	20.0	150	60(10x6box)	7.90	252x196x181	57.000
AW-8	9.0	14.0	24.5	25.0	200	60(10x6box)	15.80	252x239x199	76.000
AW-10	9.5	16.0	30.0	30.0	250	60(10x6box)	24.40	332x302x265	100.000
AW-12	10.5	17.5	36.0	36.0	300	40(10x4box)	25.90	350x335x215	145.000
AW-15	12.8	22.0	47.0	46.0	375	24(4x6box)	33.50	412x259x239	282.000
AW-18	19.0	29.0	53.5	55.0	450	8(2x4box)	15.10	493x290x137	547.000
AW-24	21.0	33.5	67.0	63.0	600	6(1x6box)	26.90	643x318x151	904.000
AW-30					750	2(1x2box)			4.183.000

Soft Grip Adjustable Wrench

○Standard: GB/T 4440-2008
○Refer to: ISO/CD 6787:1996



Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm	Price (VND)
AWS-6	6.5	10.3	20.5	20.0	150	60(6x10box)	9.30	324x196x181	87.000
AWS-8	7.8	12.5	26.0	28.0	200	60(6x10box)	18.80	316x244x205	106.000
AWS-10	8.5	14.5	32.0	30.0	250	60(6x10box)	29.80	452x308x244	138.000
AWS-12	9.7	17.7	37.0	40.0	300	40(4x10box)	28.60	448x342x193	187.000

Wrench Set

Combination Wrench Set

○Standard: GB/T 4388-4393-2008
○Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
COM-S6A	8 10 12 13 14 17	12(1x12box)	7.10	330x314x181	223.000
COM-S6B	8 10 13 16 17 18	12(1x12box)	8.20	290x290x260	255.000
COM-S8	5.5 8 10 12 13 14 17 19	24(2x12box)	18.25	433x294x234	308.000
COM-S11	5.5 8 9 10 11 12 13 14 17 19 22	24(2x12box)	32.50	565x397x305	450.000
COM-S15	5.5 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.70	394x382x232	767.000
COM-S24	5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32	6(1x6box)	29.20	484x346x241	1.494.000
COM-S8B	6 8 10 12 14 17 19 22	24(2x12box)	22.326	433x294x234	352.000
COM-S12	6 7 8 10 12 14 17 19 22 24 27 32	12(2x6box)	30.796	484x346x241	705.000
COM-S26	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32	6(1x6box)	36.322	484x346x241	1.700.000


DR Combination wrench set

○Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
COM-S5IN	5/16 3/8 7/16 1/2 9/16	12(1x12box)	4.884	330x314x181	175.000
COM-S6IN	1/4 3/8 7/16 1/2 9/16 5/8	12(1x12box)	6.012	330x314x181	218.000
COM-S7IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4	12(1x12box)	9.528	330x314x181	311.000
COM-S9IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 1/4 5/16	24(2x12box)	21.339	565x397x305	358.000
COM-S11IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1	24(2x12box)	46.083	565x397x305	663.000
COM-S14IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4	12(1x12box)	45.1	512x372x274	1.080.000

DR Combination wrench set




Model No.	mm	PCS	Kg	mm	Price (VND)
COM-S12MI	8 9 10 11 13 15 7/16 1/2 9/16 5/8 11/16	12(1x12box)	12.718	394x382x232	442.000
COM-S20MI	8 9 10 11 12 13 14 15 17 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8	6(1x6box)	13.138	484x346x241	813.000

Ring Wrench Set

○Standard: GB/T 4388-4393-2008
○Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
OFS-S9	5.5-7 8-10 11-13 12-14 14-17 17-19 19-21 22-24 24-27	12(2x6box)	24.50	512x372x274	657.000
OFS-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	32.80	512x372x274	...
OFS-S15	5.5-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-23 22-24 23-26 24-27 30-32	6(1x6box)	24.80	512x372x274	1.354.000
OFS-S8	18-19 16-17 14-15 12-13 6-7 8-9 10-11 20-22	12(2x6box)	15.04	484x346x241	546.000
OFS-S12A	18-19A 16-17A 14-15A 12-13A 6-7A 8-9A 10-11A 20-22A 21-23A 24-27A 27-30A 30-32A	12(2x6box)	22.384	512x372x274	1.230.000



INDEX

Wrench Set

Double Open Wrench Set

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990




Model No.	↓O mm ±	PCS	Kg	↓mm	Price (VND)
OWS-S6A	5.5x7 8x10 11x13 14x17 17x19 22x24	12(1x12box)	10.80	330x314x181	263.000
OWS-S6B	8x10 11x13 13x15 16x18 17x19 22x24	12(1x12box)	12.00	330x314x181	287.000
OWS-S9	5.5x7 8x10 11x13 12x14 14x17 17x19 19x21 22x24 24x27	12(2x6box)	19.45	394x382x232	501.000
OWS-S16	5.5x7 8x10 10x12 11x13 12x14 13x15 14x17 16x18 17x19 19x21 19x22 21x23 22x24 23x26 24x27 30x32	4(2x2box)	13.55	515x200x191	899.000

Combination Wrench

Combination Wrench


- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	↓mm	Price (VND)
COM-5.5	5.5	15.5	10.5	4.4	4.5	100	120(12x10box)	23.000
COM-6	6	16	10.5	4.4	5	106	120(12x10box)	23.000
COM-7	7	17	12	4.5	5.4	116	120(12x10box)	23.000
COM-8	8	18	13.5	4.7	6	127	120(12x10box)	24.000
COM-9	9	20.6	14.5	5	6.4	136	120(12x10box)	27.000
COM-10	10	21.6	15.5	5.2	6.9	146	120(12x10box)	30.000
COM-11	11	24.6	18	5.7	7.2	156	120(12x10box)	31.000
COM-12	12	25.6	19.5	6.2	7.9	167	120(12x10box)	30.000
COM-13	13	29.2	20	6.5	8.1	176	120(12x10box)	36.000
COM-14	14	30.7	21.5	6.8	8.4	186	120(12x10box)	39.000
COM-15	15	32.7	22.5	7	8.5	196	120(12x10box)	43.000
COM-16	16	34.2	24.5	7.3	9.2	206	120(12x10box)	45.000
COM-17	17	36.2	26	7.5	9.4	216	120(12x10box)	54.000
COM-18	18	38.3	28	7.6	10.4	225	120(12x10box)	57.000
COM-19	19	40.3	29	7.8	11.4	234	120(12x10box)	61.000
COM-20	20	43.3	30	8.3	12.4	240	60(6x10box)	72.000
COM-21	21	43.8	32	8.6	12.5	250	60(6x10box)	80.000
COM-22	22	44.8	34	8.8	13.4	265	60(6x10box)	82.000
COM-23	23	46.9	35	9	13.6	276	36(6x6box)	89.000
COM-24	24	49.9	36	9.3	14.1	287	36(6x6box)	93.000
COM-25	25	53.4	37	9.6	14.6	297	36(6x6box)	98.000
COM-26	26	54.4	38	9.8	14.9	307	36(6x6box)	105.000
COM-27	27	56	40.5	10	15.4	317	36(6x6box)	121.000
COM-28	28	58	41.5	10.2	15.9	327	36(6x6box)	130.000
COM-29	29	59	42	10.4	16.4	337	36(6x6box)	137.000
COM-30	30	62	44	10.6	17.2	347	36(6x6box)	147.000
COM-32	32	65	48	10.8	17.4	366	36(6x6box)	159.000

Combination Wrench Jumbo Size


- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	↓mm	Price (VND)
COM-33	33	66	48.5	12.0	15.5	372	36(6x6box)	25.90
COM-35	35	72	53.5	13.5	17.0	450	24(2x12box)	27.50
COM-36	36	72	53.5	14.0	18.0	450	24(2x12box)	27.10
COM-38	38	77	57.5	14.5	19.5	461	16(2x8box)	22.50
COM-41	41	83	63	15.5	20.5	475	16(2x8box)	23.60
COM-42	42	83	63	15.5	20.5	475	16(2x8box)	22.70
COM-44	44	92.5	68	15.5	21.5	485	16(2x8box)	26.40
COM-46	46	92.5	68.5	15.5	21.5	485	16(2x8box)	28.50
COM-50	50	101	76.5	16.5	22.5	500	12(2x6box)	24.40
COM-55	55	108.5	81.5	20	30.0	670	4(1x4box)	14.70
COM-60	60	120	88.5	22.5	30.0	695	4(1x4box)	19.80
COM-65	65	120.5	88.5	22.5	30.0	695	4(1x4box)	20.20

Double Open Wrench (Metric)

- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	↓mm	Price (VND)
OWS5.5-7	5.5	16	7	18	4	120	120(12x10box)	4.70	170x170x182	23.000
OWS8-10	8	19.5	10	23.5	4.7	147	120(12x10box)	5.36	188x140x188	26.000
OWS10-12	10	23.5	12	27.5	5.2	156	120(12x10box)	7.54	188x140x180	30.000
OWS11-13	11	25.5	13	29.5	5.2	172	120(12x10box)	9.90	217x179x190	33.000
OWS12-14	12	27.5	14	32	5.7	180	120(12x10box)	11.50	217x179x190	37.000
OWS13-15	13	29.6	15	34.6	6.3	188	120(12x10box)	15.00	237x209x190	40.000
OWS13-16	13	29.6	16	34.6	6.3	188	120(12x10box)	13.90	237x209x190	40.000
OWS14-17	14	32.1	17	38.2	6.3	195	120(12x10box)	16.90	234x206x237	43.000
OWS16-18	16	34.5	18	39.6	6.8	206	120(12x10box)	18.20	234x206x237	51.000
OWS17-19	17	38.2	19	42.3	6.8	220	120(12x10box)	22.50	254x206x237	57.000
OWS18-21	18	42.3	21	46.3	7.3	238	60(6x10box)	14.60	330x290x140	72.000
OWS19-21	19	42.3	21	46.3	7.3	238	60(6x10box)	13.00	330x290x140	74.000
OWS19-22	19	42.3	22	46.3	7.3	238	60(6x10box)	12.94	330x290x140	74.000
OWS21-23	21	48.3	23	50.4	7.8	247	60(6x10box)	15.00	330x290x140	82.000
OWS22-24	22	48.3	24	50.4	7.8	247	60(6x10box)	16.50	330x290x140	83.000
OWS23-26	23	50.4	26	55.9	8.3	256	60(6x10box)	19.30	330x290x140	88.000
OWS24-27	24	50.4	27	55.9	8.3	256	60(6x10box)	20.50	330x290x140	104.000
OWS27-30	27	57.9	30	61.9	8.8	278	36(6x6box)	14.80	307x139x204	122.000
OWS30-32	30	61.6	32	67.9	9.3	298	36(6x6box)	18.50	332x154x209	136.000

Combination Wrench Mirror Finish

Double Open Wrench Mirror Finish

Connect the previous page


Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm	Price (VND)
OWSF13-15	13	29.6	15	34.6	6.3	188	120(12x10box)	13.75	237x209x190	34.000
OWSF13-16	13	29.6	16	34.6	6.3	188	120(12x10box)	14.10	237x209x190	34.000
OWSF14-17	14	32	17	38.2	6.3	195	120(12x10box)	16.00	234x206x237	37.000
OWSF16-18	16	34.5	18	39.6	6.8	206	120(12x10box)	17.60	234x206x237	44.000
OWSF17-19	17	38.2	19	42.3	6.8	220	120(12x10box)	20.15	254x206x237	48.000
OWSF18-21	18	42.3	21	46.3	7.3	238	60(6x10box)	14.30	230x290x140	61.000
OWSF19-21	19	42.3	21	46.3	7.3	238	60(6x10box)	13.20	230x290x140	63.000
OWSF19-22	19	42.3	22	46.3	7.3	238	60(6x10box)	13.40	230x290x140	63.000
OWSF21-23	21	48.3	23	50.4	7.8	247	60(6x10box)	16.20	230x290x140	70.000
OWSF22-24	22	48.3	24	50.4	7.8	247	60(6x10box)	15.10	230x290x140	71.000
OWSF23-26	23	50.4	26	55.9	8.3	256	60(6x10box)	19.20	230x290x140	75.000
OWSF24-27	24	50.4	27	55.9	8.3	256	60(6x10box)	19.10	230x290x140	89.000
OWSF27-30	27	57.9	30	61.9	8.8	278	36(6x6box)	16.70	314x208x148	104.000
OWSF30-32	30	61.6	32	67.9	9.3	298	36(6x6box)	17.20	332x154x209	117.000

Double Open Wrench Jumbo Size Mirror Finish

Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm	Price (VND)
OWSF32-36	32	68	36	75.5	12.5	315	18(3x6box)	14.20	370x288x115	179.000
OWSF34-36							18(3x6box)			219.000
OWSF36-41	36	75	41	84.5	13.5	335	18(3x6box)	24.00	370x288x115	236.000
OWSF41-46	41	83.5	46	92.5	13.5	335	18(3x6box)	24.60	397x321x150	316.000
OWSF46-50	46	93.5	50	103	15	395	12(2x6box)	21.40	448x268x136	363.000

Double Ring Wrench Jumbo Size Mirror Finish

- The mirror finish wrench with the thin shape design is forged by carbon steel
- The surface is processed by multiple polishing and milling
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm	Price (VND)
OFSF5.5-7						120(12x10box)			24.000
OFSF6-7	10	12	5	5.5	159	120(12x10box)	5.90	200x188x181	24.000
OFSF8-10	13.5	16	5.5	6	169	120(12x10box)	7.50	212x204x193	26.000
OFSF9-11						120(12x10box)			...
OFSF10-12	16	19.5	6	7.5	183	120(12x10box)	9.40	239x237x190	32.000
OFSF11-13	19.5	21.5	7.5	8	197	120(12x10box)	12.62	266x254x217	38.000
OFSF12-14	19.5	21.5	7.5	8	197	120(12x10box)	12.30	266x254x217	38.000
OFSF13-15	20	23	7.5	8.5	213	120(12x10box)	15.20	266x254x217	44.000
OFSF13-16	20	23	7.5	8.5	213	120(12x10box)	17.20	296x274x212	48.000
OFSF14-17	22	26	9.5	10.8	235	120(12x10box)	18.20	296x274x212	50.000
OFSF16-18	24.5	28	9	10	246	120(12x10box)	10.80	330x290x140	71.000
OFSF17-19	26	28.5	10.9	12.4	265	60(6x10box)	13.10	314x176x287	73.000
OFSF18-21	29	34	11	13	284	60(6x10box)	17.30	337x205x190	79.000
OFSF19-21	29	34	11	13	284	60(6x10box)	16.60	337x205x190	81.000
OFSF19-22	29	34	11	13	284	60(6x10box)	14.80	337x205x190	81.000
OFSF21-23	33	36	13	13.5	306	60(6x10box)	19.70	374x202x245	91.000
OFSF22-24	33	36	13	13.5	306	60(6x10box)	16.50	374x202x245	91.000
OFSF23-26	35.5	39	13	15	330	36(6x6box)	14.90	397x225x174	110.000
OFSF24-27	35.5	39	13.5	15	330	36(6x6box)	14.10	397x225x174	121.000
OFSF27-30	40.5	44	15	17	330	36(6x6box)	17.60	417x265x141	139.000
OFSF30-32	44	48	17	17	330	36(6x6box)	23.10	470x248x179	150.000

Connect the next page

Double Ring Wrench Jumbo Size Mirror Finish

Double Ring Wrench Jumbo Size Mirror Finish

Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm	Price (VND)
OFSF32-36							18(3x6box)			229.000
OFSF34-36							18(3x6box)			260.000
OFSF36-41							18(3x6box)			313.000
OFSF41-46							18(3x6box)			388.000
OFSF46-50							12(2x6box)			481.000

Connect the previous page

Wrench Set

Combination Wrench Set Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
COMF-S8	6 8 10 12 13 14 17 19	24(2x12box)	18.20	433x294x234	304.000
COMF-S11	6 8 9 10 11 12 13 14 17 19 22	24(2x12box)	28.20	565x397x305	387.000
COMF-S15	6 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.30	394x382x232	671.000
COMF-S24	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 32	6(1x6box)	30.70	484x346x241	1.277.000

Combination Wrench Set Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
OFSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	24.80	512x372x274	598.000
OFSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	31.00	512x372x274	749.000
OFSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	30.60	512x372x274	-
OFSF-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	33.40	512x372x274	-
OFSF-S15	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-23 22-24 23-26 24-27 30-32	6(1x6box)	24.10	512x372x274	-

Double Open Wrench Jumbo Size Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Model No.	mm	PCS	Kg	mm	Price (VND)
OWSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	19.75	394x382x232	430.000
OWSF-S16	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-21 19-22 21-23 22-24 23-26 24-27 30-32	4(2x2box)	13.50	515x200x191	917.000
OWSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	24.20	394x382x232	546.000
OWSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	24.00	394x382x232	-

Wrench

Double Ring Wrench Inch Size

Model No.	PCS	Price (VND)
OFS1/4-5/16	120(10x12box)	28.000
OFS3/8-7/16	120(10x12box)	37.000
OFS1/2-9/16	120(10x12box)	44.000
OFS5/8-11/16	120(10x12box)	83.000
OFS5/8-3/4	120(10x12box)	85.000
OFS3/4-7/8	60(6x10box)	94.000
OFS15/16-1	36(6x6box)	128.000

Double Open Wrench Inch Size

Model No.	PCS	Price (VND)
OWS1/4-5/16	120(10x12box)	23.000
OWS5/16-3/8	120(10x12box)	26.000
OWS3/8-7/16	120(10x12box)	30.000
OWS7/16-1/2	120(10x12box)	33.000
OWS1/2-9/16	120(10x12box)	37.000
OWS5/8-3/4	60(6x10box)	57.000
OWS5/8-11/16	60(6x10box)	51.000
OWS3/4-7/8	60(6x10box)	74.000
OWS15/16-1	60(6x10box)	88.000

Combination Wrench Inch Size


Model No.	PCS	Price (VND)
COM-1/4	120(10x12box)	23.000
COM-5/16	120(10x12box)	24.000
COM-3/8	120(10x12box)	30.000
COM-7/16	120(10x12box)	31.000
COM-1/2	120(10x12box)	36.000
COM-9/16	120(10x12box)	39.000
COM-5/8	120(10x12box)	45.000
COM-11/16	120(10x12box)	54.000
COM-3/4	120(10x12box)	61.000
COM-13/16	60(6x10box)	80.000
COM-7/8	60(6x10box)	82.000
COM-15/16	36(6x6box)	93.000
COM-1	36(6x6box)	98.000
COM-1-1/16	36(6x6box)	121.000
COM-1-1/8	36(6x6box)	137.000
COM-1-1/4	36(6x6box)	159.000

Combination Wrench Set Inch Size

Model No.	mm	PCS	Kg	mm	Price (VND)
COM-S5IN	5/16 3/8 7/16 1/2 9/16				175.000
COM-S6IN	1/4 3/8 7/16 1/2 9/16 5/8				218.000
COM-S7IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4				311.000
COM-S9IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 1/4 5/16				358.000
COM-S11IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1				663.000
COM-S14IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4				1.080.000
OWS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1				317.000
OFS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1				428.000
COM-S12MI	8 9 10 11 3/8 13 7/16 15 1/2 9/16 5/8 11/16				442.000
COM-S20MI	8 9 10 11 12 13 14 15 17 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8				813.000

Gear Wrench


○Standard: GB/T 4388-4393-2008
 ○Refer to: ISO 10102:1990 ISO 10103:1990
 ISO 10104:1990 ISO 7738:1990



Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm	Price (VND)		
GR-6	6	13	14	6.3	4.3	128	120(10x12box)	3.70	320x140x181	86.000
GR-7	7	16.3	16.5	6.5	4.3	140	100(10x10box)	4.00	170x170x182	86.000
GR-8	8	18	18	6.5	4.3	141	100(10x10box)	4.50	170x170x182	90.000
GR-9	9	19	19	7.0	4.8	150	100(10x10box)	5.40	192x174x185	93.000
GR-10	10	21	21	8	5	160	100(10x10box)	6.50	192x174x185	94.000
GR-11	11	23	23	8	5	165	100(10x10box)	7.80	217x179x190	101.000
GR-12	12	25	26	8	5	170	100(10x10box)	8.80	212x204x193	102.000
GR-13	13	26	27	8.5	5.5	181	100(10x10box)	10.70	212x204x193	116.000
GR-14	14	23	30	9.1	7	191	100(10x10box)	12.00	237x209x190	125.000
GR-15	15	29	32	10	7	200	100(10x10box)	14.10	237x209x190	130.000
GR-16	16	31	33	10	8	210	100(10x10box)	16.90	254x236x237	141.000
GR-17	17	33	36	10	7.5	226	100(10x10box)	19.60	254x236x237	152.000
GR-18	18	35	39	10	8.5	236	100(10x10box)	22.40	287x229x230	161.000
GR-19	19	36	40	10.5	9	246	100(10x10box)	25.20	287x229x230	172.000
GR-21	21	42	44	13	9.5	290	36(6x6box)	14.90	327x195x184	189.000
GR-22	22	43	45	14.5	9.5	292	36(6x6box)	15.10	327x195x184	238.000
GR-24	24	48	52	14	9.5	333	36(6x6box)	20.20	370x288x115	272.000
GR-27	27	51	54	15.6	10.5	355	36(6x6box)	24.70	397x321x150	326.000
GR-30	30	56	60	17.5	11	402	10(5x2box)	9.70	491x288x78	408.000
GR-32	32	61	64	18	12	420	10(5x2box)	10.90	491x288x78	490.000


Gear Wrench

○Standard: GB/T 4388-4393-2008



Model No.	mm	PCS	Kg	mm	Price (VND)
GR-S7	8 10 12 13 14 17 19	24(2x12box)	22.80	346x314x310	953.000
GR-S8	10 11 12 13 14 15 17 19	24(2x12box)	27.85	346x314x310	1.108.000
GR-S9	8 10 12 13 14 16 17 18 19	24(2x12box)	29.60	346x314x310	1.292.000
GR-S12	8 9 10 11 12 13 14 15 16 17 18 19	12(2x6box)	20.70	394x382x232	1.636.000
GR-S20	6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32	6(1x6box)	35.00	484x346x241	3.728.000

Flexible Gear Wrench



Model No.	PCS	Price (VND)
GRA-8	100(10x10box)	113.000
GRA-9	100(10x10box)	116.000

Connect the next page



INDEX

Wrench

Flexible Gear Wrench

Connect the previous page

Model No.	PCS	Price (VND)
GRA-10	100(10x10box)	117.000
GRA-11	100(10x10box)	123.000
GRA-12	100(10x10box)	128.000
GRA-13	100(10x10box)	145.000
GRA-14	100(10x10box)	156.000
GRA-15	100(10x10box)	163.000
GRA-16	100(10x10box)	178.000
GRA-17	100(10x10box)	191.000
GRA-18	100(10x10box)	200.000
GRA-19	100(10x10box)	210.000
GRA-21	100(10x10box)	251.000
GRA-22	36(6x6box)	253.000
GRA-24	36(6x6box)	314.000
GRA-27	36(6x6box)	551.000
GRA-30	10(5x2box)	654.000
GRA-32	10(5x2box)	844.000


Gear Socket Wrench

Connect the previous page

Model No.	PCS	Price (VND)
CGR13-17	100(10x10box)	176.000
CGR14-17	100(10x10box)	176.000
CGR16-18	100(10x10box)	196.000
CGR17-19	100(10x10box)	196.000
CGR17-21	100(10x10box)	196.000
CGR19-21	100(10x10box)	196.000
CGR19-22	36(6x6box)	196.000
CGR19-24	36(6x6box)	311.000
CGR21-23	36(6x6box)	311.000
CGR21-24	36(6x6box)	311.000
CGR21-26	36(6x6box)	311.000
CGR22-24	36(6x6box)	311.000
CGR24-27	36(6x6box)	364.000
CGR27-30	36(6x6box)	463.000
CGR30-32	10(5x2box)	463.000

Double Ring Gear Wrench

- Wrench body material: Cr.V Inner material: Cr.Mo
- Indestructible and long life



Model No.	PCS	Price (VND)
GRD8-9	100(10x10box)	121.000
GRD8-10	100(10x10box)	122.000
GRD10-11	100(10x10box)	129.000
GRD12-13	100(10x10box)	152.000
GRD14-15	100(10x10box)	171.000
GRD16-18	100(10x10box)	209.000
GRD17-19	100(10x10box)	219.000

Ring Slogging Spanner


- Material: Carbon Steel



Model No.	Model name	PCS	Price (VND)
OFSS-24	24mm Ring Slogging Spanner	60(6x10box)	142.000
OFSS-27	27mm Ring Slogging Spanner	60(6x10box)	147.000
OFSS-30	30mm Ring Slogging Spanner	60(6x10box)	158.000
OFSS-32	32mm Ring Slogging Spanner	36(6x6box)	170.000
OFSS-34	34mm Ring Slogging Spanner	36(6x6box)	194.000
OFSS-36	36mm Ring Slogging Spanner	36(6x6box)	223.000
OFSS-38	38mm Ring Slogging Spanner	36(6x6box)	234.000
OFSS-41	41mm Ring Slogging Spanner	24(4x6box)	271.000
OFSS-46	46mm Ring Slogging Spanner	24(4x6box)	309.000
OFSS-50	50mm Ring Slogging Spanner	24(4x6box)	329.000
OFSS-55	55mm Ring Slogging Spanner	16(2x8box)	368.000
OFSS-60	60mm Ring Slogging Spanner	16(2x8box)	405.000
OFSS-65	65mm Ring Slogging Spanner	16(2x8box)	443.000
OFSS-70	70mm Ring Slogging Spanner	12(2x6box)	502.000
OFSS-75	75mm Ring Slogging Spanner	12(2x6box)	621.000
OFSS-80			754.000

Gear Socket Wrench

- Material: Cr.Mo
- Black finish, strong torque



Model No.	PCS	Price (VND)
CGR10-12	100(10x10box)	159.000
CGR11-13	100(10x10box)	159.000
CGR12-14	100(10x10box)	164.000

Connect the next page

Wrench

Slogging Spanner


○Material: Carbon Steel



Model No.	Model name	PCS	Price (VND)
OWSS-24	24mm Slogging Spanner	60 (6x10box)	144.000
OWSS-27	27mm Slogging Spanner	60 (6x10box)	151.000
OWSS-30	30mm Slogging Spanner	60 (6x10box)	161.000
OWSS-32	32mm Slogging Spanner	36 (6x6box)	173.000
OWSS-34	34mm Slogging Spanner	36 (6x6box)	200.000
OWSS-36	36mm Slogging Spanner	36 (6x6box)	230.000
OWSS-38	38mm Slogging Spanner	36 (6x6box)	246.000
OWSS-41	41mm Slogging Spanner	24 (4x6box)	276.000
OWSS-46	46mm Slogging Spanner	24 (4x6box)	313.000
OWSS-50	50mm Slogging Spanner	12 (2x6box)	339.000
OWSS-55	55mm Slogging Spanner	16 (2x8box)	376.000
OWSS-60	60mm Slogging Spanner	16 (2x8box)	416.000
OWSS-65	65mm Slogging Spanner	16 (2x8box)	452.000
OWSS-70	70mm Slogging Spanner	12 (2x6box)	531.000
OWSS-75	75mm Slogging Spanner	12 (2x6box)	669.000
OWSS-80			816.000

Flare Nut Wrench


○Material: Carbon steel
○Standard: Q/TKGS 20-2010




Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm	Price (vnd)
OESF8-10	6	18	7	21	9	140	120(12x10box)	9.80	200x188x181	51.000
OESF9-11	7	19	8	22	9	150	120(12x10box)	9.10	217x179x190	54.000
OESF10-12							120(12x10box)			54.000
OESF13-14	9	25	10	26	10	175	120(12x10box)	13.60	254x206x237	63.000
OESF16-17	13	28	14	30	12	200	120(12x10box)	18.30	254x206x237	73.000

L Type Pipe Wrench

○Material: Cr.V



Model No.	Amm	Lmm	Bmm	PCS	Kg	mm	Price (VND)
LTW-6	25	110	6	60(6x10box)	3.75	254x206x237	72.000
LTW-7	30	115	7	60(6x10box)	4.40	254x206x237	72.000
LTW-8	35	120	8	60(6x10box)	4.80	254x206x237	73.000
LTW-9	35	125	9	60(6x10box)	6.10	254x206x237	77.000
LTW-10	35	130	10	60(6x10box)	7.40	254x206x 37	79.000
LTW-11	40	135	11	60(6x10box)	8.70	254x206x237	91.000
LTW-12	45	145	12	60(6x10box)	10.80	555x202x245	95.000
LTW-13	45	155	13	60 6x10box)	12.00	555x202x245	103.000
LTW-14	50	165	14	60(6x10box)	14.30	252x244x285	109.000
LTW-15	50	175	15	60(6x10box)	15.80	252x244x285	117.000
LTW-16	55	185	16	60(6x10box)	16.50	296x294x291	124.000
LTW-17	55	200	17	60(6x10box)	21.20	296x294x291	129.000
LTW-18	55	215	18	40(4x10box)	16.60	315x297x149	141.000
LTW-19	60	225	19	40(4x10box)	19.00	296x294x291	146.000
LTW-20	65	225	20	40(4x10box)	20.60	296x294x291	150.000
LTW-21	65	235	21	36(6x6box)	21.60	484x346x241	153.000
LTW-22	65	250	22	36(6x6box)	23.10	484x346x241	205.000
LTW-23	75	260	23	36(6x6box)	27.70	484x346x241	231.000
LTW-24	75	270	24	36(6x6box)	30.80	484x346x241	253.000
LTW-25				8(2x4box)			268.000



INDEX